

PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2020/07/08

n. 875202802/OE

Validity: 2025/07/07

The hereunder described items of Personal Protective Equipment have overcome positively the "EU type examination" (Module B), proving their conformity to the safety and health requirements of the Regulation (EU) 2016/425 (Annex II)

Manufacturer: (Responsible of the PPE)	Red Wing Shoe Company, Inc. 314 Main Street, Red Wing, MN 55066 – USA		
Type of PPE:	Safety footwear in conformity with EN ISO 20345:2011 class I (= footwear in leather and other materials)		
Category of PPE:	II : "medium" risks. This certificate is based on reference standards listed below: its validity is no longer ensured should new version of the standards come into force.		
Model	"3256"		
Description:	<u>model</u> : A (low shoes); <u>fastening system</u> : by means of an elastic band; <u>processing</u> : RIM (reaction injection mould); <u>outsole</u> : black 99666 PU MUNRO Classic Red Wing bicolor A3 – declared ESD (61GH0001.330); <u>upper</u> : black 300 leather declared "mezza bovina pelle fiore art. "Puma hydro" spessore dichiarato 1,8/2,0 mm colore passante" (10BF1931.300); <u>collar</u> : black leather declared "vitelli fiore per fodera art. "California hydro" spessore		
	dichiarato 1,0/1,2 mm colore passante" (10BF1940.300); <u>tongue/bellows</u> : same leather as that of the upper declared thickness 1,0/1,2 mm lined with the quarter lining and padded; <u>vamp lining</u> : Maleo gray 63569 non-woven fabric article TETRA declared mass per unit area 300 gr/mq (24TF0630.100);		
4	<u>quarter lining</u> : black knitting article AERPLUSS BS declared mass per unit area 210 gr/mq (24TT3710.300); <u>heel-grip</u> : black microfiber article MICROSUEDE 0,8 (21ST2930.300); <u>insole</u> : multi-layered fabric article Q-FLEX TX T6 MXC "R" CONDUTTIVO ESD red print (27ST0977.130) <u>which also serves as penetration resistant insert</u> ; <u>removable insock</u> : thermoformed, red soft PU with Red Wing logo (27SP1370.500); <u>toecap</u> : made of glass fiber article F16 CONTENDER (37LA0056.330).		
Tech <mark>nic</mark> al Standard:	EN ISO 20344:2011 (UNI EN ISO 20344:2012)Personal protective equipment – Test methods for footwearEN ISO 20345:2011 (UNI EN ISO 20345:2012)Personal protective equipment – Safety footwear		
Intended use:	general industry, engineering industry, agriculture, warehouses, works on trucks, cranes.		
Size range:	from 35 to 48		
Technical File:	DC-12124		
Test report:	RCT n°3912112/E		





PRD N° 0230 B Membro degli Accordi di Mutuo Riconoscimento EA, IAF e ILAC Signatory of EA, IAF and ILAC Mutual Recognition Agreements





EU Type Examination Certificate

Date: 2020/07/08	n. 875202802/OE	Validity: 2025/07/07	
Functions and performance levels:	basic requirements for safety footwear (SB) (see Table 2 and 3 of mandatory ones, among which:	EN ISO 20345:2011): all	
	SRC = Slip resistance – meets the following requirement: - <u>surface</u> : ceramic / <u>lubricant</u> : detergent solution; - <u>surface</u> : steel / <u>lubricant</u> : glycerol.		
	Additional requirements (Tab. 18 and 20 of EN ISO 20345:2011): S3 = closed seat region, antistatic properties, energy absorpresistance to fuel oil, water penetration resistance and absorpupper), penetration resistance, cleated outsole.		
	Note 1: the penetration resistance of the synthetic stitch proof insole ter diameter of the perforating object; in return the synthetic insole offers mor ergonomics advantages (flexibility, insulation, humidity and impact absorp Note 2: the footwear also meets the requirement in accordance with IEC 6 4-3:2017) for the electrical resistance ESD (electric dissipative footwear.	e protectiv <mark>e su</mark> rface and tion).	
Marking:	 on a stitched label and displaying the following information: CE Marking; Name/Logo and complete address of the Manufacturer; designation of the footwear (article code: unique/unambiguous); nr. and year of the Standard of reference + safety symbols; size of the footwear (EU + USA + EUK); production date (month + year); additional information: internal codes, batch number. 		
	Additional marking in accordance with the ASTM F2413-18 standar certification).	rd (not covered by this	
RIED WI STE OF 314 Main Street, Red Wi EN ISO 203 S3 SR 3256 EU USA E 42 9 3831 08/2 MR0413	45:2011		
ASTM F2 M/// SD 35			

NOTE: the Technical File contains a more detailed description of the PPE (material, method of assembly, photographs or drawings), performance data, safety functions and level of protection, elements of conformity to the basic and supplementary requirements. The Technical File is integral part of the present Certification, which has to be kept available by the applicant to be forwarded - upon request - to the entitled person (supervising body, Controlling Officer).

0



Certificato ue E rev04 - 19/04/18