



## DECLARATION OF PRODUCT CONFORMITY

|                                                                          |                                                                                   |                                                              |
|--------------------------------------------------------------------------|-----------------------------------------------------------------------------------|--------------------------------------------------------------|
| <u>Manufacturer</u>                                                      | <u>Authorized Representative</u>                                                  | <u>Authorized Representative</u>                             |
| Red Wing Shoe Company, Inc.<br>314 Main Street<br>Red Wing, MN 55066 USA | Red Wing UK LTD<br>Minto Drive, Altens Industrial Estate<br>Aberdeen AB12 3LW, UK | Red Wing Norway AS<br>Kanalveien 6<br>4033 Stavanger, Norway |

Red Wing Shoe Co, Inc. declares the PPE workwear as detailed below meets the criteria of an EC type-examination in accordance with EU Regulation 2016/425, and UKCA type-examination in accordance with Regulation 2016/425, Module B for PPE Category III products. PPE is subject to the conformity assessment procedure C2 under surveillance of the notified body 0598, SGS Fimko Ltd. Compliance has been shown through satisfactory testing to EN ISO 13688:2013; EN 1149-5:2018; EN ISO 11612:2015; IEC 61482-2:2018 and examination of the technical file documentation by:

Approved Notified Body: 0598  
 Name: SGS Fimko Ltd  
 Street: Takomotie 8  
 City, Country: FI-00380 Helsinki, Finland  
 Tel: +358 9 696 361

| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 60102 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60104 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60105 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60107 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60108 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 60111 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60115 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60121 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60130 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60602 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60604 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60605 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60611 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60615 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60621 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 60805 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60807 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60811 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 60911 | 609          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61102 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61104 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61105 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61107 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61108 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61111 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 61115 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61121 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61130 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61602 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61604 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61605 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61611 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61615 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61621 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61630 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 61708 | 607          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61715 | 607          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61730 | 607          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61802 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61804 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61805 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61807 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61811 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61815 | 608.         | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61821 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 61911 | 609          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 61930 | 609          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62002 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62008 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62011 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62015 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62021 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62030 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62105 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62108 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 62111 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62115 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62130 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62511 | 625          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62515 | 625          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62811 | 628          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62815 | 628          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 62821 | 628          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 64002 | 640          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 64008 | 640          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 64015 | 640          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 64030 | 640          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66104 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66108 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66111 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66115 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66121 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66130 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66211 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66221 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |





| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 66230 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66304 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66307 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66311 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66315 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66321 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66330 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66407 | 664          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66411 | 664          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66415 | 664          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 66421 | 664          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66430 | 664          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66804 | 668          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66807 | 668          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66811 | 668          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66815 | 668          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66821 | 668          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 66830 | 668          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 70111 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 70130 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 71111 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 71121 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 72811 | 628          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 72815 | 628          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 72821 | 628          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 73511 | 735          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76121 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76130 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76311 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76321 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 76520 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76642 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76709 | 607          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76749 | 609          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76753 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76756 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76761 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76847 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76878 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76879 | 664          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 76880 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76890 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76897 | 664          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76908 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76911 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76913 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76944 | '661         | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76945 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76971 | V63          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 76972 | 668          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 77009 | 606          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 77011 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 77012 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 77024 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 77027 | 664          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 77028 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 77029 | 668          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 77048 | 620          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 77049 | 668          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 80111 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 80130 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 80811 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 80815 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 81111 | 601          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 81802 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 81805 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 81811 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 81815 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 81821 | 608          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 81905 | 609          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |



| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| 81911 | 609          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 82811 | 628          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 82815 | 628          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 82821 | 628          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 83511 | 735          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 83521 | 735          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 86104 | 661          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 86130 | 661.         | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| 86311 | 663          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| V0611 | V06          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |





| Model | Base Pattern | Certificate Number | Relevant Harmonized Standards / Technical Specifications                     | Additional Protections                                 |
|-------|--------------|--------------------|------------------------------------------------------------------------------|--------------------------------------------------------|
| V0615 | V06          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| V1611 | V06          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| V1615 | V06          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| V6311 | V63          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| V6315 | V63          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |
| V6321 | V63          | 0598/PPE/190738    | EN ISO 13688:2013<br>EN 1149-5:2018<br>EN ISO 11612:2015<br>IEC 61482-2:2018 | EN ISO 11612: A1+A2 B1 C1<br>IEC 61482-2: APC 1 (4 kA) |

Lori Hyllengren for and on behalf of Red Wing Shoe Co., Inc.

Lori Hyllengren  
Laboratory Manager  
Date: 17 April 2023